



COLLARD & ROE, P.C.
PATENT, TRADEMARK & COPYRIGHT ATTORNEYS
1077 Northern Boulevard
Roslyn, New York 11576
(516) 365-9802
FAX (516) 365-9805

RECEIVED
CENTRAL FAX CENTER

MAR 22 2005

FACSIMILE TRANSMISSION

DATE: March 22 2005

NO. OF PAGES INCLUDING COVER PAGE: 16

TO: Examiner H. Vu
Group: 2833

FAX NO.: (703) 872-9306

FROM: William C. Collard
Reg. No. 38,411

RE: U.S. Serial No. 10/682,212
Applicant: Jurgen LAPPOHN
(Our Reference: LAPPOHN - 4)

If you do not receive all of the pages, please call the above phone number as soon as possible.

MESSAGE:

Enclosed is an Amendment in response of the First Office Action, along with a petition for a three- month extension of time. Please confirm receipt by facsimile at your earliest convenience. Thank you.

Sincerely yours,
COLLARD & ROE, P.C.

William C. Collard
William C. Collard
Reg. No. 38,411

WCC:ea
Enclosures

This message is intended only for the use of the addressee, and may contain material which is privileged and confidential. If you are not the intended recipient, dissemination of this communication is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone. Thank you.

PATENTSRECEIVED
CENTRAL FAX CENTER

MAR 22 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT : Jürgen LAPPÖHN - 4
SERIAL NO. : 10/682,212 EXAMINER: H. VU
FILED : October 8, 2003 GROUP: 2833
TITLE : PLUG-IN CONNECTOR

AMENDMENT IN RESPONSE TO FIRST OFFICE ACTION

MAIL STOP NON-FEE AMENDMENT
Honorable Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the First Office Action dated September 22, 2004, with the time period being extended three months or until March 22, 2005. Please amend the above-identified patent application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 6 of this paper.

Remarks/Arguments begin on page 10 of this paper.

R:\Pattent\LLAPPÖHN\T\Amendments to the OA.mpd

BEST AVAILABLE COPY